#### Information Theory – Foundations and Applications

**Quantum Cryptography** 

#### Lucas Chibebe Céleri

Institute of Physics Federal University of Goiás

2024 – Basque Center for Applied Mathematics University of Basque Country





#### **Bit of history**

- 1900 BC Non-standard hieroglyphs carved into the wall of a tomb from the Old Kingdom of Egypt.
- 1500 BC Some clay tablets from Mesopotamia.
- 600 500 BC Hebrew scholars made use of simple monoalphabetic substitution ciphers .
- 700 800 Modern cryptographic era. Abu Yusef Ya'qub ibn Is-haq ibn as-Sabbah ibn Omran ibn Ismail al-Kindi published the *Book of Cryptographic Messages*



#### **Caesar's cypher**

Let us see how Caesar's cypher works. It is just a simple substitution

Original	Α	В	С	D	Ε	F	G	н	I	J	Κ	L	М	Ν	0	Ρ	Q	R	S	Т	U	V	w	Χ	Y	Ζ
Cypher	Ε	F	G	н	I	J	K	L	Μ	Ν	0	Ρ	Q	R	S	Т	U	V	W	X	Y	Z	Α	В	С	D

Original text: QUANTUM INFORMATION IS VERY NICE

Cypher text: UYERXYQ MRJSVQEXMSR MW ZIVC RMGI



#### **Frequency of the letters**





#### Vigenère cipher – 1523

	А	в	С	D	Е	F	G	н	Ι	J	к	L	м	N	0	Ρ	Q	R	S	т	U	v	W	х	Y	Z
A[	Α	В	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	S	т	U	٧	W	х	Y	Z
B	в	С	D	Е	F	G	н	I	J	К	L	м	N	0	P	Q	R	s	т	U	٧	W	х	Y	Z	A
C	С	D	E	F	G	н	I	J	K	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	Α	В
D	D	E	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	Α	В	С
E	Е	F	G	н	I	J	К	L	м	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	Α	в	С	D
F	F	G	н	I	J	к	L	М	N	0	P	Q	R	s	Т	U	v	W	х	Y	Z	A	В	С	D	Е
G	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	в	С	D	Е	F
H	н	I	J	К	L	м	N	0	P	Q	R	S	Т	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G
I	I	J	к	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	В	С	D	E	F	G	н
J	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	В	С	D	Е	F	G	н	I
K	к	L	М	N	0	Ρ	Q	R	S	Т	U	v	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J
$\mathbf{L}$	L	М	N	0	P	Q	R	S	Т	U	٧	W	х	Y	Z	A	В	С	D	E	F	G	н	I	J	К
M	М	N	0	P	Q	R	S	т	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J	К	L
N	N	0	P	Q	R	S	Т	U	v	W	х	Y	Z	Α	В	С	D	Е	F	G	н	I	J	K	L	М
0	0	P	Q	R	S	Т	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G	Н	I	J	K	L	М	N
P	P	Q	R	s	Т	U	٧	W	х	Y	Z	Α	В	С	D	Е	F	G	Н	I	J	К	L	М	N	0
Q	Q	R	s	Т	U	v	W	х	Y	Z	A	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P
R	R	S	т	U	V	W	х	Y	Z	Α	В	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q
S	s	Т	U	٧	W	х	Y	Z	Α	В	С	D	Е	F	G	H	I	J	K	L	М	N	0	Ρ	Q	R
T	Т	U	v	W	Х	Y	Z	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S
U	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G	H	I	J	К	L	М	N	0	P	Q	R	S	Т
V	v	W	х	Y	Z	Α	в	С	D	Е	F	G	H	I	J	K	L	М	N	0	P	Q	R	s	Т	U
W	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	S	т	U	v
X	х	Y	Z	A	в	С	D	E	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	۷	W
Y	Y	Z	A	в	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	v	W	х
Z	Z	A	в	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y



## Vigenère cipher

	А	в	С	D	Е	F	G	н	Ι	J	к	L	м	N	0	Ρ	Q	R	S	т	U	v	W	х	Y	Z
A[	Α	в	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z
B	в	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	S	т	U	٧	W	х	Y	Z	Α
C	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	v	W	х	Y	Z	A	в
D	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	Α	в	С
E	Е	F	G	н	I	J	К	L	м	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	в	С	D
F[	F	G	н	I	J	к	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	в	С	D	E
G	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	В	С	D	Е	F
H	н	I	J	К	L	м	N	0	P	Q	R	\$	т	U	v	W	х	Y	Z	A	в	С	D	Е	F	G
I	I	J	к	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	А	в	С	D	E	F	G	н
J	J	к	L	М	N	0	P	Q	R	\$	т	U	٧	W	х	Y	Z	Α	в	С	D	Е	F	G	н	I
K	К	L	м	N	0	P	Q	R	S	т	U	v	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J
L[	L	М	N	0	P	Q	R	s	т	U	٧	W	х	Y	Z	A	В	С	D	E	F	G	н	I	J	к
<b>M</b>	м	N	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J	к	L
N[	N	0	P	Q	R	ŝ	т	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G	н	I	J	к	L	м
0	0	P	Q	R	s	т	U	v	W	х	Y	Z	A	В	С	D	E	F	G	н	I	J	K	L	М	N
$\mathbf{P}[$	Ρ	Q	R	s	т	U	٧	W	х	Y	Z	Α	в	С	D	Е	F	G	н	I	J	К	L	М	N	0
Q	Q	R	s	т	U	٧	W	х	Y	Z	A	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P
R	R	s	т	U	٧	W	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q
S	s	т	U	v	W	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	K	L	м	N	0	P	Q	R
T[	т	U	v	W	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	s
U	U	v	W	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	s	т
<b>V</b> [	v	W	х	Y	Z	Α	в	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U
W	W	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	K	L	М	N	0	P	Q	R	s	т	U	v
X	х	Y	Z	A	в	С	D	Е	F	G	н	I	J	К	L	М	N	0	P	Q	R	s	т	U	v	W
Y	Y	Z	A	в	С	D	Е	F	G	н	I	J	К	L	м	N	0	P	Q	R	s	т	U	v	W	х
<b>Z</b> [	Z	А	в	С	D	Е	F	G	н	I	J	к	L	М	N	0	P	Q	R	s	т	U	v	W	х	Y



#### **KEY: QUANTUM**

### Vigenère cipher

[	Α	в	С	D	Е	F	G	н	Т	J	κ	L	Μ	Ν	0	Р	Q	R	S	Т	U	V	W	X	Y	Ζ
1	В	С	D	Е	F	G	н	1	J	К	L	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	X	Y	Ζ	Α
2	С	D	Е	F	G	н	Ι	J	К	L	М	Ν	0	Р	Q	R	S	Т	U	V	W	Х	Y	Z	Α	В
3	D	Е	F	G	Н	-	J	К	L	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	Х	Y	Z	A	В	С
4	Е	F	G	Н	-	J	К	L	М	Ν	0	Р	Q	R	S	Т	U	V	W	Х	Y	Z	Α	В	С	D
5	F	G	Н	Ι	J	К	L	М	Ν	0	Р	Q	R	S	Т	U	V	W	Х	Y	Z	A	В	С	D	Е
6	G	Н	Ι	J	К	L	М	Ν	0	Р	Q	R	S	Т	υ	V	W	Х	Y	Ζ	Α	В	С	D	Е	F
7	н	1	J	Κ	Γ	Μ	Ν	0	Ρ	Q	R	S	Т	υ	V	W	Х	Y	Z	Α	В	С	D	E	F	G
8	1	J	К	L	М	Ν	0	Р	Q	R	S	Т	U	V	W	Х	Y	Ζ	Α	В	С	D	E	F	G	н
9	J	К	Γ	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	Х	Y	Ζ	Α	В	С	D	E	F	G	Н	
10	К	L	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	Х	Υ	Z	Α	В	С	D	Е	F	G	н	1	J
11	L	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	Х	Υ	Ζ	Α	В	С	D	E	F	G	н	1	J	К
12	М	Ν	0	Ρ	Q	R	S	Т	U	V	W	Х	Y	Z	А	в	С	D	Е	F	G	н		J	К	L
13	Ν	0	Ρ	Q	R	s	Т	U	V	W	Х	Y	Z	А	в	С	D	Е	F	G	Τ		J	к	L	М
14	0	Ρ	Ø	R	S	Т	U	V	W	Х	Υ	Ζ	Α	В	С	D	Е	F	G	н	1	J	K	L	М	Ν
15	Ρ	Q	R	S	Т	U	V	W	Х	Υ	Ζ	Α	В	С	D	Е	F	G	н	1	J	K	L	M	N	0
16	Q	R	s	Т	U	V	W	Х	Υ	Z	А	в	С	D	Е	F	G	Н		J	к	L	М	Ν	0	Р
17	R	S	Т	С	V	W	Х	Υ	Ζ	Α	В	С	D	Е	F	G	н	1	J	К	L	М	N	0	Р	Q
18	S	Т	U	V	W	Х	Υ	Ζ	Α	В	С	D	Е	F	G	н	1	J	К	L	М	N	0	Р	Q	R
19	Т	U	V	W	Х	Υ	Z	А	в	С	D	Е	F	G	н		J	к	L	М	Ν	0	Ρ	Q	R	S
20	U	V	W	Х	Y	Z	А	в	С	D	Е	F	G	н	-	J	K	L	М	Ν	0	Ρ	Q	R	S	Т
21	V	W	Х	Y	Ζ	Α	В	С	D	Е	F	G	н	1	J	К	L	М	Ν	0	Р	Q	R	S	Т	U
22	W	Х	Y	Ζ	Α	В	С	D	E	F	G	Н	Ι	J	К	L	М	N	0	Р	Q	R	S	Т	U	V
23	Х	Y	Ζ	Α	В	С	D	Е	F	G	Н		J	К	L	М	Ν	0	Р	Q	R	S	Т	U	V	W
24	Y	Ζ	Α	В	С	D	Е	F	G	н		J	К	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х
25	Z	A	В	С	D	E	F	G	Н		J	К	L	М	Ν	0	Р	Q	R	S	T	U	V	W	Х	Y
26	A	в	С	D	E	F	G	Н		J	K	L	М	Ν	Ö	Ρ	Q	R	S	Т	U	V	W	Х	Y	Z



### Enigma





#### **One-time pad**

ASCII binary representation of the word qubit

Original: 01110001 01110101 01100010 01101100 01110100

#### key: 00101111 01100111 11000111 10101011 00111001

Binary addition leads us to the encoded text

Enconded: 01011110 00010010 10100101 11000111 01001101

The problem is them to assure the security of the key. Quantum mechanics solves the problem!



#### **Quantum key distribution**



Provides a way for Alice and Bob to share a cryptographic key in a secure manner. This is possible due to the unique features of quantum mechanics.

In 1984, C. Bennett and G. Brassard used four qubit signal states that include non-orthogonal pairs in order to develop a protocol for quantum key distribution that in known today as the BB84 protocol<sup>1</sup>.

Many other protocols appeared after this seminal work<sup>2</sup>.

 <sup>1</sup>C.H. Bennett, G. Brassard, in: Proceedings IEEE Int. Conf. on Computers, Systems and Signal Processing, Bangalore, India (IEEE, New York, 1984), pp. 175-179
<sup>2</sup>F. Xu, X. Ma, Q. Zhang, H.-K. Lo and J.-W. Pan, Rev. Mod. Phys. **92**, 025002 (2020)

Alice and Bob can communicate over a public classical channel and they can also send qubits over a quantum channel.

Eve also has access to these channels and she wants to acquire information without being detected, about the secret key that Alice and Bob will generate. BB84 protocol says this is impossible.

Alice and Bob choses the following states for communication

 $\mathcal{B}_{0} = \{ |\psi_{00}\rangle = |0\rangle, |\psi_{10}\rangle = |1\rangle \}$  and  $\mathcal{B}_{1} = \{ |\psi_{01}\rangle = |-\rangle, |\psi_{11}\rangle = |+\rangle \}$ 

These bases are called mutually unbiased since if any state of one basis is measured in the other basis, the outcomes are always equally likely.

The protocol proceeds in four steps

• Alice generates two random bit sequences:

$$x^n = x_1 x_2 \cdots x_n$$
 and  $y^n = y_1 y_2 \cdots y_n$ 

and encode such sequences into a sequence of quantum states

$$|\psi_{x_1y_1}\rangle |\psi_{x_2y_2}\rangle \cdots |\psi_{x_ny_n}\rangle$$

and sends these n qubits over Bob.

 $\boldsymbol{x}$  and  $\boldsymbol{y}$  represents the bit she is trying to send and the choice of the encoding (basis), respectively.



• First, let us assume there is no Eve and the channel is noiseless. Bob gets exactly the state  $|\psi_{x_iy_i}\rangle$  sent by Alice.

Bob then generates a random sequence  $\overline{y}^n = \overline{y}_1 \overline{y}_2 \cdots \overline{y}_n$  and measures the *i*-th qubit in the basis  $\mathcal{B}_{\overline{y}_i}$  to get the result  $\overline{x}_i$ . There is

- $\circ \ \overline{y}_i$  is Bob's guess about the choice of the basis
- $\circ \ \overline{x}'_i$  is Bob's guess of Alice's  $x_i$  bit

Let  $\overline{x}^n = \overline{x}_1 \overline{x}_2 \cdots \overline{x}_n$  be the sequence that outcomes from this procedure. If  $\overline{y}_i = y_i$  (same choice of basis), then  $\overline{x}_i = x_i$  (Bob correctly guesses Alice's encoding bit). Otherwise they are perfectly uncorrelated since the basis are unbiased.



• Alice and Bob turns public their choices of the bases. In other words, they publish in **El Correo** the strings  $y^n$  and  $\overline{y}^n$ , but not the strings  $x^n$  and  $\overline{x}^n$ .

They then discard all bits  $x^n$  and  $\overline{x}^n$  for which  $y^n \neq \overline{y}^n$ , keeping the shorter sequence of expected length n/2.

- These remaining strings are identical and they can be used as a secret key for cryptography.
- In real applications, there will be always noise and Eve. To avoid this, the protocol adds two more steps.



 Alice and Bob want to estimate the bit error rate. They then publicly (via El Correo) compare a random sample of their remaining strings (half of their bits chosen at random positions, for instance), and then discard all the announced bits. They assume that the remaining bits have about the same proportion of errors as those checked.

Next they want to correct these remaining errors (albeit at unknown positions) to obtain two strings that agree in a high percentage of positions with high probability. Remarkably this can be done (at the expense of sacrificing some more bits) without giving everything away, if the bit error rate is not too large.



The last step in the protocol is privacy amplification

• From the estimated bit error rate Alice and Bob can estimate the maximum amount of information that an eavesdropper is likely to have obtained about the remaining bits. From this information estimate they use techniques of so-called privacy amplification from classical cryptography to replace their strings by even shorter strings about which the eavesdropper can have practically no knowledge whatever (with high probability).

By following these steps, Alice and Bob can secretly share a cryptographic key and safely use it for communication.



# **That's all Folks!**

lucas@qpequi.com

www.qpequi.com



